



Cisco

300-735 Exam

Automating and Programming Cisco Security Solutions (300-735 SAUTO) Exam

Thank you for Downloading 300-735 exam PDF Demo

You can Buy Latest 300-735 Full Version Download

<https://www.certkillers.net/Exam/300-735>

<https://www.certkillers.net>

Version: 8.0

Question: 1

Which description of synchronous calls to an API is true?

- A. They can be used only within single-threaded processes.
- B. They pause execution and wait for the response.
- C. They always successfully return within a fixed time.
- D. They can be used only for small requests.

Answer: B

Question: 2

DRAG DROP

Drag and drop the code to complete the script to search Cisco ThreatGRID and return all public submission records associated with cisco.com. Not all options are used.

```
import requests
API_KEY = 'asdf1234asdf1234asdf1234'
QUERY = '[ ]'
URL = 'https://panacea.threatgrid.com/api/v2/[ ]/[ ]'
PARAMS={"q":QUERY,"api_key":API_KEY}
request = requests.get(url=URL, params=PARAMS)
print(request.json)
```

submissions

public

query

cisco

search

cisco.com

Answer:

What must be added to the script to achieve the desired result?

- A. Add message ID information to the URL string as a URI.
- B. Run the script and parse through the returned data to find the desired message.
- C. Add message ID information to the URL string as a parameter.
- D. Add message ID information to the headers.

Answer: C

Question: 5

Refer to the exhibit.

```
import json
import requests

USER = "admin"
PASS = "C1sco12345"
TENAT_ID = "132"
BASE_URL = "https://198.18.128.136"
CREDENTIALS = {'password': PASS, 'username': USER}

session = requests.Session()
session.post(BASE_URL+"/token/v2/authenticate", data= CREDENTIALS, verify=False)

QUERY_URL=BASE_URL+"/sw-reporting/rest/v2/tenants/{0}/queries".format(TENAT_ID)

flow_data ={
    "searchName": "Flows API Search on 6/29/2019",
    "startDateTime": "2019-06-29T00:00:01Z",
    "endDateTime": "2019-06-29T23:59:59Z"
}

session.post(QUERY_URL, json=flow_data, verify=False)
```

A network operator must generate a daily flow report and learn how to act on or manipulate returned data

a. When the operator runs the script, it returns an enormous amount of information.

Which two actions enable the operator to limit returned data? (Choose two.)

- A. Add recordLimit, followed by an integer (key:value) to the flow_data.
- B. Add a for loop at the end of the script, and print each key value pair separately.
- C. Add flowLimit, followed by an integer (key:value) to the flow_data.
- D. Change the startDateTime and endDateTime values to include smaller time intervals.
- E. Change the startDate and endDate values to include smaller date intervals.

Answer: AB

Thank You for trying 300-735 PDF Demo

To Buy Latest 300-735 Full Version Download visit link below

<https://www.certkillers.net/Exam/300-735>

Start Your 300-735 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your 300-735 preparation with actual exam questions.

<https://www.certkillers.net>